

# PETG filament



Product Name:	PETG filament
Brand Name:	Sunruy
Part Number:	PETG-175-color
Packaging:	vacuum carton
MOQ:	1 kg

## Product details

### 3D Printer Filament PETG Filament

Environmentally & Practical 3D Printer Filament With Stable Chemical And Good Electrical Properties.

Top Strength, Good Toughness, High Heat Resistance & A Wide Processing Range.

#### About our 3D Printer Filament:

Brand:	Sunruy
Material:	ABS/PLA/HIPS/PC/PA/PVA/TPE/PETG/TPU/Flex/Wood/etc.
Diameter:	1.75mm, 3.00mm (2.85mm can be customized).
Roundness:	0.01mm
Color:	natural color, pink, yellow, green
Apply:	Makerbot, Mendel, Prusa, Huxley, etc most of the 3D Printer

Packaging:	Wrap In Spool
Delivery Time:	3-7 days after payment
Payment Terms:	T/T,Western Union,Paypal
Supply Ability:	50Tons/Month



**Extrusion temperature:**

- ABS 3d printer filament :210 - 230°C
- PLA 3d printer filament :170 - 210°C
- HIPS 3d printer filament : 180-200°C
  
- PA 3d printer filament :250-270 °C
- PA 3d printer filament :250-270 °C
- PC 3d printer filament :250-270 °C
- TPE 3d printer filament :170°-210 °C
- PETG 3d printer filament :190°-220°C

**Package:**

Inside Package: Vacuum compressed packaging

Outer Package: 1Roll/Box,8Boxes/Carton

The G.W is 1.368KG/ROLL, N.W is 1.0KG/ROLL.

**Parameter Of Empty Spool:**

Flange Outside Dimension: 160mm

Barrel Outside Dimension: 80mm

Inner width: 86mm

Overall width: 92mm

Center hole diameter: 32mm

Flange thickness: 3mm