

HAKKO FT-802
Soldering related equipment and materials/Lead forming tool



- Thermal wire stripper for higher quality and more preciseness
- Even very fine AWG 38 can be stripped with standard blades

| Packing List | | |
|--------------|--|--|
| Model No. | Packing List | |
| FT-802 | Station (with wire material indicator seal), Handpiece FT-8004 (with lead adjuster), Hexagon socket set screw (M2.5 x 2.5 [qty 2]), Hexagon wrench (1.27 mm), Power cord, Instruction manual | |

Blades are not included with this product. The desired blades should be purchased separately. Blades (G4 Series)

| Specifications | | |
|-------------------|--------|--|
| Model No. | FT-802 | |
| Power consumption | 76W | |

Station

| Output voltage | AC 20V |
|-------------------------|-----------------------|
| Dimensions | 76(W)×159(H)×161(D)mm |
| Weight | 1.6kg |
| Wire Stripper (FT-8004) | |

| Power consumption | 72W (20V) |
|-------------------|-----------|
| Cord length | 1.6m |
| Total length | 153mm |
| Weight | 47g |

Optional Wire Stripper (FT-8003)

| Power consumption | 46W (24V) |
|--------------------------|-----------|
| Cord length | <2m |
| Tip to ground resistance | <2Ω |
| Tip to ground potential | 1.3mV |
| Total length | 155mm |
| Weight | 27g |

* Length and weight for handpiece (w/o cord, blade)

| Tip to ground resistance | <2Ω |
|--------------------------|-----------------------|
| Tip to ground potential | <2mV |
| Heating element | Composite heater |
| Cord length | 1.2m |
| Total length | 188mm (with 2.4D tip) |

30g (with 2.4D tip)

* Total length and weight (w/o cord)